

STORM

BICYCLE CATALOGUE



www.smstormbikes.com

STORM
always ahead

CONTENT

- 03** _____ **ABOUT THE BRAND**
- 04** _____ **ABOUT THE AMBASSADORS AND THE CAMPAIGN**
- 06** _____ **NEW PRODUCTS**
- 07** _____ **E-MTB**
E-Taurus 4.0 | E-Stella 4.0
E-Taurus 3.0 | E-Stella 3.0
E-Taurus 2.0 | E-Stella 2.0
E-Taurus 1.0 | E-Stella 1.0
- 13** _____ **E-Trekking**
E-Diamond 7.0
E-Diamond Lady Deep 6.0
E-Diamond 5.0
E-Diamond 4.0
E-Diamond 3.0
E-Diamond 2.0
E-Diamond 1.0
- 21** _____ **Gravel**
Focus 1x11
Focus 2x10
- 25** _____ **MTB**
Shark 8.0 29
Shark 7.0 29
Shark 5.0 27,5
- 29** _____ **Junior**
Racer 26 2D | Queen 26 2D
Racer 24 2D | Queen 24 2D
- 33** _____ **Trekking**
Marathon 10.0
Marathon 3.0 7S
- 37** _____ **Cross**
Cross Aero 5.0



BIKES

250

TYPES OF TOURING
AND CITY BIKES

200

TYPES OF MOUNTAIN
BIKES

60

TYPES OF CHILDREN'S
BIKES

ABOUT THE BRAND

We are one of the leading Polish brands dealing in the production and assembly of bicycles, on the market since 2015.

Our bikes are available in over 350 distribution points throughout the country. We are already one of the sales leaders on the Polish market.

Our offer includes nearly 250 models of touring and city bikes, over 200 types of mountain bikes, as well as 60 types of children's bikes. In 2023, electric and gravel bikes were also added to the assortment. Bikes are tailored to the needs of both adults and the youngest.

All our two-wheelers are produced on a modern production line in southern Greater Poland. For the production of bicycles, we use high-quality components from the world's leading manufacturers.

For more information, please visit:
www.smstormbikes.com

ABOUT THE AMBASSADORS AND THE CAMPAIGN

Our Ambassadors are **Robert and Anna Lewandowski**, who together support us in further development, as well as in promoting a healthy and active lifestyle.

”

*“Our dream was to invite Robert and Anna Lewandowski to cooperate, who are a role model for us and the best example of how hard work and mutual support can get you to the top and make your dreams come true. The STORM brand also follows this path and I am proud that we will continue to follow it together, inspiring more and more people to an active, family lifestyle and to start their adventure with our two-wheelers” – explains **Adam Ziętek**, the owner and founder of the STORM brand.*

*“I heard about the STORM brand for the first time when its owner made us an offer of cooperation. I was surprised when I heard how strong position it has managed to gain on the Polish market in recent years. However, it was the vision and history behind the brand that prompted us to start cooperation. Dreams, hard work, great ambitions, focusing on quality and continuous development, and at the same time believing in values such as promoting a healthy and family lifestyle, all this is consistent with what we follow on a daily basis. That is why I am very happy that together with Ania we will be able to support the Polish brand STORM in its development and fulfillment of business dreams” – said **Robert Lewandowski**.*

This year we launched our first image campaign entitled "Start your own journey", whose heroes are our Ambassadors - Robert and Anna Lewandowski.

"I'm glad that together with Ania and the STORM brand, we can support and promote a healthy lifestyle. We encourage everyone to exercise regularly on a daily basis - bicycling is an ideal solution that combines pleasure with activity" - emphasizes Robert Lewandowski.

"In taking care of your own health and shape, being regular and consistent is the key. It is worth looking for activities that give us satisfaction. Together with the STORM brand, I encourage you to use bicycles, the use of which does not have to involve great physical effort, can help you stay in shape and brings a lot of joy" - says Anna Lewandowska.

Join the STORM team!



NEW PRODUCTS

Strength in new STORM bikes

The beginning of cooperation with the Ambassadors and the start of the image campaign coincide with the introduction of a range of modern electric bikes to the offer. They are ideal for people starting their adventure with a bicycle, but also often for those for whom longer field trips were previously unattainable.

We offer numerous models of electric bikes with different specifications and designs. Among them, there are bikes for men and women.



E-MTB

E-Taurus 4.0 | E-Stella 4.0 | E-Taurus 3.0 | E-Stella 3.0
E-Taurus 2.0 | E-Stella 2.0 | E-Taurus 1.0 | E-Stella 1.0

E-bike

E-Taurus 4.0 | E-Stella 4.0

SPECIFICATION



E-Taurus 4.0

E-Stella 4.0



Wheel size | **29"**

Frame | Storm | **E-Taurus 17", 19", 21"**

| **E- Stella 16", 18"**

Fork | Suntour | **XCM34-BOOST RLR DS. - with Lock**

Chain | KMC | **E10S**

Cassette | Shimano | **Deore CS-HG500-10, 10s**

Rear Derailleur | Shimano | **Deore RD-M6000SGS- 10S**

Front Derailleur | -

Motor | Bafang | **Motor, M510, 250W, 95Nm**

Display | Bafang | **DP C244.C**

Sensor | Bafang | **SR SD021.01**

Battery | Bafang | **20 Ah, 720 Wh, 36V**

Front Hub | Shimano | **DH-919TF**

Rear Hub | Shimano | **DH-E391TR**

Tires | Maxxis/CST

Handlebar | UNO | **HB 353, 780 mm**

Stem | UNO

Grip | Herrmans

Saddle | Selle Royal | **A230**

Seatpost | UNO | **SP-602, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc | Shimano

| **SM-RT10, centerlock**

Shifters | Shimano | **Deore SL-M6000-10, 10s**

Gears | **10**

E-Taurus 3.0 | E-Stella 3.0

SPECIFICATION



E-Taurus 3.0



E-Stella 3.0

Wheel size | **29"**

Frame | Storm | **E-Taurus 17", 19", 21"**

| **E- Stella 16", 18"**

Fork | Suntour | **XCM34-BOOST NLO DS.**

(15AH2-110 29") - with Lock

Chain | KMC | **Z9**

Cassette | Shimano | **CS-HG200-9, 9s**

Rear Derailleur | Shimano | **Alivio RD-M3100SGS**

Front Derailleur | -

Motor | Bafang | **Mid Motor, M410, 250W, 80Nm**

Display | Bafang | **DP C244.C**

Sensor | Bafang | **SR SD021.01**

Battery | Bafang | **20Ah, 720Wh, 36V**

Front Hub | Shimano | **DH-E391TR**

Rear Hub | Shimano | **DH-919TF**

Tires | Maxxis/CST

Handlebar | UNO | **HB 353, 780 mm**

Stem | UNO | **ASM02**

Grip | Herrmans

Saddle | Selle Royal | **A230**

Seatpost | UNO | **SP-602, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc | Shimano

| **SM-RT10, centerlock**

Shifters | Shimano | **Altus SL-M4000-9**

Gears | **9**

E-Taurus 2.0 | E-Stella 2.0

SPECIFICATION



E-Taurus 2.0



E-Stella 2.0

Wheel size | **29"**

Frame | Storm | **E-Taurus 17", 19", 21"**

| **E- Stella 16", 18"**

Fork | Suntour | **XCM34-BOOST DS. (15AH2-110 29")**

BB Set | Shimano | **Alivio, FC-M4000**

Chain | KMC | **Z9**

Cassette | Shimano | **CS-HG200-9**

Rear Derailleur | Shimano | **Alivio RD-M3100SGS**

Front Derailleur | -

Motor | Bafang | **Rear Hub, RM G020, 250W, 45Nm**

Display | Bafang | **DP E160.C**

Sensor | Bafang | **SR PA051.12.S**

Battery | Bafang | **14 Ah, 504 Wh, 36V**

Front Hub | Shimano | **DH-919TF**

Tires | Maxxis/CST

Handlebar | UNO | **HB 353, 780 mm**

Stem | UNO | **ASM02**

Grip | Herrmans

Saddle | Selle Royal | **A059**

Seatpost | UNO | **SP-602, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-201, hydraulic**

Front Brakedisc | Shimano | **SM-RT10**

Rear Brakedisc | Shimano | **SM-RT26**

Shifters | Shimano | **ST-EF 505**

Gears | **9**

E-Taurus 1.0 | E-Stella 1.0

SPECIFICATION



E-Taurus 1.0



E-Stella 1.0

Wheel size | **29"**

Frame | Storm | **E-Taurus 17", 19", 21"**

| **E-Stella 16", 18"**

Fork | Suntour | **XCM34-BOOST DS. (15AH2-110 29")**

BB Set | Shimano | **Tourney, FC-TY301, 3-S**

Chain | KMC | **Z8**

Cassette | Shimano | **CS-HG31-8**

Rear Derailleur | Shimano | **Altus FD-M310**

Front Derailleur | -

Motor | Bafang | **Rear Hub, RM G020, 250W, 45Nm**

Display | Bafang | **DP E160.C**

Sensor | Bafang | **SR PA051.12.S**

Battery | Bafang | **14 Ah, 504 Wh, 36V**

Front Hub | Shimano | **DH-919TF**

Tires | Maxxis/CST

Handlebar | UNO | **HB 353, 780 mm**

Stem | UNO | **ASM02**

Grip | Herrmans

Saddle | Selle Royal | **A059**

Seatpost | UNO | **SP-602, 30,9 mm**

Front Brake and Rear Brake | Shimano

| **MT-201, hydraulic**

Front Brakedisc | Shimano | **SM-RT10**

Rear Brakedisc | Shimano | **SM-RT26**

Shifters | Shimano | **ST-EF 505**

Gears | **8**



E-Trekking

E-Diamond 7.0 | E-Diamond Lady Deep 6.0
E-Diamond 5.0 | E-Diamond 4.0 | E-Diamond 3.0
E-Diamond 2.0 | E-Diamond 1.0

E-bike

E-Diamond 7.0

SPECIFICATION



E - Diamond 7.0 Lady



E-Diamond 7.0 Lady Deep



E-Diamond 7.0 Man

Wheel size | **28"**

Frame | Storm | **Lady 17", 19" | Lady Deep 17", 19", 21" |**

Man 19", 21", 23"

Fork | Suntour | **XCM34-BOOST RLR DS. - with Lock**

Chain | KMC | **E10S**

Cassette | Shimano | **Deore CS-HG500-10**

Rear Derailleur | Shimano | **Deore RD-M6000SGS- 10S**

Front Derailleur | -

Motor | Bafang | **Mid Motor, M510, 250W, 95Nm**

Display | Bafang | **DP C244.C**

Sensor | Bafang | **SR SD021.01**

Battery | Bafang | **20 Ah, 720 Wh, 36V**

Front Hub | Shimano | **DH-E391TR**

Rear Hub | Shimano | **DH-919TF**

Tires | CST | **PLATINIUM E, 28x2,15**

Handlebar | UNO | **HB 4110V, 660 mm**

Stem | UNO | **AS7300**

Grip | Herrmans

Saddle | Selle Royal | **A230**

Seatpost | UNO | **SP-602, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc | Shimano

| **SM-RT10, centerlock**

Shifters | Shimano | **Deore SL-M6000-10**

Bell | **YES**

Kickstand | **YES**

Gears | **10**

E-Diamond Lady Deep 6.0

SPECIFICATION



Wheel size | **28"**

Frame | Storm | **Lady Deep 17", 19", 21"**

Fork | Suntour | **NEX-E25 DS. 700C**

Chain | KMC | **ZIEHX**

Motor | Bafang | **Mid Motor, M200, 250W, 65Nm**

Display | Bafang | **DP C010.C**

Sensor | Bafang | **SR SD021.01**

Battery | Bafang | **14 Ah, 504 Wh, 36 V**

Front Hub | Shimano | **Nexus 7**

Rear Hub | Shimano | **TX-505**

Tires | CST | **PLATINIUM E, 28x2,15**

Handlebar | UNO | **HB RB11, 680 mm**

Stem | UNO | **AS7300**

Grip | Herrmans

Saddle | Selle Royal | **A230**

Seatpost | UNO | **SP-602, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc | Shimano

| **SM-RT10, centerlock**

Shifters | Shimano | **Nexus 7**

Bell | **YES**

Kickstand | **YES**

Gears | **7**

E-Diamond 5.0

SPECIFICATION



E - Diamond 5.0 Lady



E-Diamond 5.0 Lady Deep



E-Diamond 5.0 Man

Wheel size | **28"**

Frame | Storm | **Lady 17", 19" | Lady Deep 17", 19", 21" |**

Man 19", 21", 23"

Fork | Suntour | **NEX-E25-C DS.**

Chain | KMC | **E10S**

Cassette | Shimano | **Deore CS-HG500-10**

Rear Derailleur | Shimano | **Deore RD-M6000SGS- 10S**

Front Derailleur | -

Motor | Bafang | **Mid Motor, M410, 250W, 80Nm**

Display | Bafang | **DP C270C**

Sensor | Bafang | **SR SD021.01**

Battery | Bafang | **20 Ah, 720 Wh, 36V**

Front Hub | Shimano | **DH-E391TR**

Rear Hub | Shimano | **DH-919TF**

Tires | CST | **PLATINIUM E, 28x2,15**

Handlebar | UNO | **HB RB11, 680 mm**

Stem | UNO | **AS7300**

Grip | Herrmans

Saddle | Selle Royal | **A230**

Seatpost | UNO | **SP-500, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc | Shimano

| **SM-RT10, centerlock**

Shifters | Shimano | **Deore SL-M6000-10**

Bell | **YES**

Kickstand | **YES**

Gears | **10**

E-Diamond 4.0

SPECIFICATION



E - Diamond 4.0 Lady



E-Diamond 4.0 Lady Deep



E-Diamond 4.0 Man

Wheel size | **28"**

Frame | Storm | **Lady 17", 19" | Lady Deep 17", 19", 21"**

| **Man 19", 21", 23"**

Fork | Suntour | **NEX-E25-C DS.**

Chain | KMC | **E8S**

Cassette | Shimano | **HG-31-8**

Rear Derailleur | Shimano | **Acera RD-M360SGS- 8S**

Front Derailleur | -

Motor | Bafang | **Mid Motor, M200, 250W, 65Nm**

Display | Bafang | **DP E160.C**

Sensor | Bafang | **SR SD021.01**

Battery | Bafang | **14 Ah, 504 Wh, 36V**

Front Hub | Shimano | **TX-505**

Rear Hub | Shimano | **TX-505**

Tires | CST | **PLATINIUM E, 28x2,15**

Handlebar | UNO | **HB RB11, 680 mm**

Stem | UNO | **AS7300**

Grip | Herrmans

Saddle | Selle Royal | **A063**

Seatpost | UNO | **SP-500, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc | Shimano

| **SM-RT10, centerlock**

Shifters | Shimano | **Altus, SL-M315-8**

Bell | **YES**

Kickstand | **YES**

Gears | **8**

E-Diamond 3.0

SPECIFICATION



E-Diamond 3.0 Lady Deep



E-Diamond 3.0 Man

Wheel size | **28"**

Frame | Storm | **Lady Deep 17", 19", 21"**

| **Man 19", 21", 23"**

Fork | Suntour | **NEX-E25-C DS.**

BB Set | Prowheel | **PRA-11P (92), 38 T, 1-S**

Chain | KMC | **E10S**

Cassette | Shimano | **Deore HG-500-10**

Rear Derailleur | Shimano | **Deore RD-M6000, 10V**

Front Derailleur | -

Motor | Bafang | **Rear Hub, RMG020, 250W, 45Nm**

Display | Bafang | **DP C010.C**

Sensor | Bafang | **SR PA152.32.S**

Battery | Bafang | **14 Ah, 504 Wh, 36V**

Front Hub | Shimano | **TX-505**

Tires | CST | **PLATINIUM E, 28x2,00**

Handlebar | UNO | **HB-RB11, 680 mm**

Stem | UNO | **AS7300**

Grip | Herrmans

Saddle | Selle Royal | **A082**

Seatpost | UNO | **SP-500, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front Brakedisc | Shimano | **SM-RT10**

Rear Brakedisc | Shimano | **SM-RT26**

Shifters | Shimano | **Deore, SL-M6000-10**

Bell | **YES**

Kickstand | **YES**

Gears | **10**

E-Diamond 2.0

SPECIFICATION



E-Diamond 2.0 Lady Deep



E-Diamond 2.0 Man

Wheel size | **28"**

Frame | Storm | **Lady Deep 17", 19", 21"**

| **Man 19", 21", 23"**

Fork | Suntour | **NEX-E25-C DS.**

BB Set | Prowheel | **PRA-11P (92), 38 T, 1S**

Chain | KMC | **Z8**

Cassette | Shimano | **HG-31-8**

Rear Derailleur | Shimano | **Acera, RD-M360SGS, 8V**

Front Derailleur | -

Motor | Bafang | **Rear Hub, RMG020, 250W, 45Nm**

Display | Bafang | **DP C270.C**

Sensor | Bafang | **SR PA051.12.S**

Battery | Bafang | **14 Ah, 504 Wh, 36 V**

Front Hub | Shimano

Tires | CST | **PLATINIUM E, 28x2,00**

Handlebar | UNO | **HB-4110V, 660 mm**

Stem | UNO | **AS7300**

Grip | Herrmans

Saddle | Selle Royal | **A092**

Seatpost | UNO | **SP-500, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front Brakedisc | Shimano | **SM-RT10**

Rear Brakedisc | Shimano | **SM-RT26**

Shifters | Shimano | **Altus, SL-M315-8**

Bell | **YES**

Kickstand | **YES**

Gears | **8**

E-Diamond 1.0

SPECIFICATION



E-Diamond 1.0 Lady Deep



E-Diamond 1.0 Man

Wheel size | **28"**

Frame | Storm | **Lady Deep 17", 19", 21"**

| **Man 19", 21", 23"**

Fork | Suntour | **NEX-E25-C DS.**

BB Set | Prowheel | **PRA-11P (92), 38 t, 1s**

Chain | KMC | **Z8**

Cassette | Shimano | **HG-31-8**

Rear Derailleur | Shimano | **Altus, RD-M310-8, 8V**

Front Derailleur | -

Motor | Bafang | **Rear Hub, RMG020, 250W, 45Nm**

Display | Bafang | **DP E160.C**

Sensor | Bafang | **SR PA051.12.S**

Battery | Bafang | **14 Ah, 504 Wh, 36V**

Front Hub | Shimano

Tires | CST | **PLATINIUM E, 28x2,00**

Handlebar | UNO | **HB-4110V, 660 mm**

Stem | UNO | **AS7300**

Grip | Herrmans

Saddle | Selle Royal | **A092**

Seatpost | UNO | **SP-602, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front Brakedisc | Shimano | **SM-RT10**

Rear Brakedisc | Shimano | **SM-RT26**

Shifters | Shimano | **Altus, SL-M315-8**

Bell | **YES**

Kickstand | **YES**

Gears | **8**

Gravel

Focus 1x11 | Focus 2x10

Focus 1x11

SPECIFICATION



Wheel size | **28"**

Frame | Storm | **FOCUS S, M, L, XL**

Fork | Storm | **CARBON**

BB Set | Shimano | **BB60**

Chainwheel | Shimano | **GRX FCRX600**

Chain | Shimano | **HG54**

Cassette | Shimano | **CS-HG70011**

Rear Deraillleur | Shimano | **GRX RD-RX810**

Front Hub | SOLON | **DH-919TF**

Rear Hub | SOLON | **DH-E391TR**

Tires | CST | **PIKA 700x40C**

Handlebar | ENRICO | **J-HB-170E 420-490**

Stem | TOKEN | **28,6X31.8**

Grip | Shimano | **Tape PRO**

Saddle | Selle Italia | **XBB fec**

Seatpost | ENRICO | **30,9x350 mm**

Front and Rear Brake | Shimano

| **GRX BR-RX400, hydraulic**

Front and Rear Brakedisc | Shimano

| **SM-RT70, centerlock**

Shifters | Shimano | **GRX KRX400**

Gears | **11**

Focus 2x10

SPECIFICATION



Wheel size | **28"**

Frame | Storm | **FOCUS S, M, L, XL**

Fork | Storm | **CARBON**

BB Set | Shimano | **BB60**

Chainwheel | Shimano | **GRX FCRX600**

Chain | Shimano | **HG54**

Cassette | Shimano | **CS-HG5010**

Rear Derailleur | Shimano | **GRX RDRX400**

Front Derailleur | Shimano | **GRX FDRX400**

Front Hub | SOLON | **DH-919TF**

Rear Hub | SOLON | **DH-E391TR**

Tires | CST | **PIKA 700x40C**

Handlebar | ENRICO | **J-HB-170E 420-490**

Stem | TOKEN | **28,6X31.8**

Grip | Shimano | **Tape PRO**

Saddle | Selle Italia | **XBB fec**

Seatpost | ENRICO | **30,9x350 mm**

Front and Rear Brake | Shimano

| **GRX BR-RX400, hydraulic**

Front and Rear Brakedisc | Shimano

| **SM-RT70, centerlock**

Shifters | Shimano | **GRX KRX400**

Gears | **20**



MTB

Shark 8.0 29 | Shark 7.0 29
Shark 5.0 27,5

Shark 8.0 29

SPECIFICATION



Shark 8.0 29 Man



Shark 8.0 29 Lady

Wheel size | **29"**

Frame | Storm | **F-16", 18" | M-17", 19", 21"**

Fork | SUNTOUR | **XCM - RLO 100mm**

BB Set | Shimano | **DEORE SM-BB52**

Chainwheel | Shimano | **FC-M41002(36X26T)**

Chain | Shimano | **CN-HG54**

Cassette | Shimano | **DEORE CS-HG500 10s (11-34T)**

Rear Derailleur | Shimano | **DEORE RD-T6000**

Front Derailleur | Shimano | **DEORE FD-M6025**

Front Hub | Shimano | **HB TX505**

Rear Hub | Shimano | **FH TX5058**

Tires | Maxxis | **IKON 29X2,2**

Handlebar | Storm | **ALU 720 MM**

Grip | Herrmans

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **DEORE SL-M6000**

Gears | **20**

Shark 7.0 29

SPECIFICATION



Shark 7.0 29 Man



Shark 7.0 29 Lady

Wheel size | **29"**

Frame | Storm | **F-16", 18" | M-17", 19", 21"**

Fork | SUNTOUR | **XCM - RLO 100mm**

BB Set | Shimano | **FC-MT101(36X22T)**

Chainwheel | Shimano | **FC-M41002(36X26T)**

Chain | KMC | **Z9**

Cassette | Shimano | **CS-HG200 9s (11-34T)**

Rear Derailleur | Shimano | **DEORE RD-M592**

Front Derailleur | Shimano | **ALTUS FD-M2020**

Front Hub | Shimano | **HB TX505**

Rear Hub | Shimano | **FH TX5058**

Tires | Maxxis | **IKON 29X2,2**

Handlebar | Storm | **ALU 720 MM**

Grip | Herrmans

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **ST-EF505**

Gears | **18**

Shark 5.0 27,5

SPECIFICATION



Shark 5.0 27,5 Man



Shark 5.0 27,5 Lady

Wheel size | **27,5"**

Frame | Storm | **F-15", 17" | M-15", 17", 19"**

Fork | SUNTOUR | **XCM - RLO 100mm**

BB Set | Shimano | **FC-MT101(36X22T)**

Chainwheel | Shimano | **TY301 (42-34-24)**

Chain | KMC | **Z8**

Cassette | Shimano | **HG31 8 (11-34T)**

Rear Derailleur | Shimano | **ALIVIO RD-T4000**

Front Derailleur | Shimano | **ALTUS FD-M310**

Front Hub | Shimano | **HB TX505**

Rear Hub | Shimano | **FH TX5058**

Tires | Maxxis | **PACE 27,5X2,1**

Handlebar | Storm | **ALU 680 MM**

Grip | Herrmans

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **ST-EF505**

Gears | **24**

Junior

Racer 26 2D | Queen 26 2D

Racer 24 2D | Queen 24 2D

Racer 26 2D | Queen 26 2D

SPECIFICATION



Racer 26 2D

Queen 26 2D



Wheel size | **26"**

Frame | Storm | **13.5", 15", 17"**

Fork | ZOOM | **CH-386A**

Rear Derailleur | Shimano | **TOURNEY RD TY300D**

Front Derailleur | Shimano | **TOURNEY FD-TY510-TS6**

Brakes | Alhonga | **MD ALHONGA**

Gears | **21**

Racer 24 2D | Queen 24 2D

SPECIFICATION



Racer 24 2D

Queen 24 2D



Wheel size | **24"**

Frame | Storm | **13"**

Fork | ZOOM | **CH-386A**

Rear Derailleur | Shimano | **TOURNEY RD TY300D**

Front Derailleur | Shimano | **TOURNEY FD-TY510-TS6**

Brakes | Alhonga | **MD ALHONGA**

Gears | **21**



Trekking

Marathon 10.0 | Marathon 3.0 7S

Marathon 10.0

SPECIFICATION



Marathon 10.0 Man



Marathon 10.0 Lady

Wheel size | **28"**

Frame | Storm | **F-17", 19" | M-19", 21"**

Fork | SUNTOUR | **NEX-DSC RLO 63 mm**

Chainwheel | Shimano | **FC-T6010 (48-36-26)**

Chain | Shimano | **HG-54**

Cassette | Shimano | **DEORE CS-HG500 10S**

Rear Derailleur | Shimano | **DEORE FD-T6000**

Front Derailleur | Shimano | **DEORE RD-T6000**

Front Hub | Shimano | **DH3D37**

Rear Hub | Shimano | **FH-M6000**

Tires | CST | **OTIS 700X40C**

Handlebar | Storm | **ALU 640 MM**

Grip | Herrmans

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **SL-T6000**

Gears | **30**

Marathon 3.0 7S

SPECIFICATION



Marathon 3.0 7s Man



Marathon 3.0 7s Lady

Wheel size | **28"**

Frame | Storm | **F-17", 19" | M-19", 21"**

Fork | ZOOM | **CH-120E**

Chainwheel | Shimano | **ALU**

Chain | KMC | **Z8**

Cassette | Shimano | -

Rear Derailleur | Shimano | -

Front Derailleur | Shimano | -

Front Hub | Shimano | **NEXUS DH-C3000**

Rear Hub | Shimano | **NEXUS 7-SPEED**

Tires | CST | **OTIS 700X40C**

Handlebar | Storm | **ALU 620 MM**

Grip | Herrmans

Front Brake | TEKRO | **V-BRAKE**

Rear Brake | Shimano | **TORPEDO**

Shifters | Shimano | **ST-EF505**

Gears | **7**



Cross

Cross Aero 5.0

Cross Aero 5.0

SPECIFICATION



Cross Aero 5.0 Man



Cross Aero 5.0 Lady

Wheel size | **28"**

Frame | Storm | **F-17", 19" | M-19", 21"**

Fork | SUNTOUR | **NVX - RLO 63 MM**

Chainwheel | Shimano | **TY301 (48x38x28)**

Chain | KMC | **Z8**

Cassette | Shimano | **CS-HG31 8S (11-30)**

Rear Derailleur | Shimano | **ALIVIO RD-T4000**

Front Derailleur | Shimano | **ALTUS FD-M310**

Front Hub | Shimano | **HB TX505**

Rear Hub | Shimano | **FH-TX5058**

Tires | CST | **CONTROL PLUS ECO 700X40C**

Handlebar | Storm | **ALU 680 MM**

Grip | Herrmans

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **ST-EF505**

Gears | **24**







Start your own journey with STORM bikes

STORM

HEADQUARTERS ADDRESS

Muchy 56
63-524 Czajków
biuro@stormrowery.pl

CONTACT

sprzedaz@stormrowery.pl



SM STORM BIKES



SM STORM BIKES



sm_stormbikes

www.smstormbikes.com

The product images shown are for illustration purposes only.