

STORM

BICYCLE CATALOGUE



STORM
always ahead

CONTENT

06 _____ **ABOUT THE BRAND**

07 _____ **ABOUT THE AMBASSADORS AND THE CAMPAIGN**

09 _____ **NEW PRODUCTS**

10 _____ **Gravel**

Focus 2.0 1x11

Focus 2.0 2x10

15 _____ **MTB**

Raptor 3.0

Raptor 2.0

Raptor 1.0

Trail 5.0

Trail 4.0

Trail 3.0

Trail 2.0

Trail 1.0

Shark 8.0 29

Shark 7.0 29

Shark 5.0 27,5

28 _____ **E-MTB**

E-Taurus 4.0 | E-Stella 4.0

E-Taurus 3.0 | E-Stella 3.0

E-Taurus 2.0 | E-Stella 2.0

E-Taurus 1.0 | E-Stella 1.0

34 _____ **E-Trekking**

E-Diamond 7.0
E-Diamond Lady Deep 6.0
E-Diamond 5.0
E-Diamond 4.0
E-Diamond 3.0
E-Diamond 2.0
E-Diamond 1.0

43 _____ **Kids**

Lassie 20 | Rocket 20
Lassie 16 | Rocket 16
Lassie 12 | Rocket 12

47 _____ **Junior**

Racer 26 2D | Queen 26 2D
Racer 24 2D | Queen 24 2D
Belle 20 | Rapid 20
Princess 26 LUX
Daisy 24 3S LUX

54 _____ **Trekking**

Marathon 10.0
Marathon 3.0 7S

58 _____ **Cross**

Cross Aero 5.0

60 _____ **City Line**

Paris 7S AMT Dynamo
Barcelona 3s
Amsterdam 3s
Stockholm 3s
Dublin 3s AMT



BIKES

350

TYPES OF TOURING AND
CITY BIKES

250

TYPES OF MOUNTAIN BIKES

150

TYPES OF CHILDREN'S BIKES

100

TYPES OF E-BIKES

ABOUT THE BRAND

We are one of the leading Polish brands dealing in the production and assembly of bicycles, on the market since 2015.

Our bikes are available in over 450 distribution points throughout the country. We are already one of the sales leaders on the Polish market.

Our offer includes nearly 350 models of touring and city bikes, over 250 types of mountain bikes, as well as 150 types of child- ren's bikes. In 2023, electric and gravel bikes were also added to the assortment. Bikes are tailored to the needs of both adults and the youngest.

All our two-wheelers are produced on a modern production line in southern Greater Poland. For the production of bicycles, we use high-quality components from the world's leading manufacturers.

For more information, please visit:

www.smstormbikes.com

ABOUT THE AMBASSADORS AND THE CAMPAIGN

Our Ambassadors are **Robert and Anna Lewandowski**, who together support us in further development, as well as in promoting a healthy and active lifestyle.



"Our dream was to invite Robert and Anna Lewandowski to cooperate, who are a role model for us and the best example of how hard work and mutual support can get you to the top and make your dreams come true. The STORM brand also follows this path and I am proud that will continue to follow it together, inspiring more and more people to an active, family lifestyle and to start their adventure with our two-wheelers" - **explains Adam Ziętek, the owner and founder of the STORM brand.**

"I heard about the STORM brand for the first time when its owner made us an offer of cooperation. I was surprised when I heard how strong position it has managed to gain on the Polish market in recent years. However, it was the vision and history behind the brand that prompted us to start cooperation. Dreams, hard work, great ambitions, focusing on quality and continuous development, and at the same time believing in values such as promoting a healthy and family lifestyle, all this is consistent with what we follow on a daily basis. That is why I am very happy that together with Ania we will be able to support the Polish brand STORM in its development and fulfillment of business dreams" - **said Robert Lewandowski.**

"I'm glad that together with Ania and the STORM brand, we can support and promote a healthy lifestyle. We encourage everyone to exercise regularly on a daily basis - bicycling is an ideal solution that combines pleasure with activity" - **emphasizes Robert Lewandowski.**

"In taking care of your own health and shape, being regular and consistent is the key. It is worth looking for activities that give us satisfaction. Together with the STORM brand, I encourage you to use bicycles, the use of which does not have to involve great physical effort, can help you stay in shape and brings a lot of joy" - **says Anna Lewandowska.**

Join the STORM team!




NEW PRODUCTS

Strength in new STORM bikes

The beginning of cooperation with the Ambassadors and the start of the image campaign coincide with the introduction of a range of modern electric bikes to the offer. They are ideal for people starting their adventure with a bicycle, but also often for those for whom longer field trips were previously unattainable.

We offer numerous models of electric bikes with different specifications and designs. Among them, there are bikes for men and women.



Gravel

Focus 2.0 1x11 | Focus 2.0 2x10



Focus 2.0 1x11

SPECIFICATION



Wheel size | **28"**

Frame | Storm | **FOCUS S, M, L, XL**

Fork | Storm | **CARBON**

Bottom Bracket | Shimano | **BB60**

Chainwheel | Shimano | **GRX FCRX600**

Chain | Shimano | **HG54**

Cassette | Shimano | **CS-HG70011**

Rear Derailleur | Shimano | **GRX RD-RX810**

Front Hub | SOLON | **DH-919TF**

Rear Hub | SOLON | **DH-E391TR**

Tires | CST | **PIKA 700X40C**

Handlebar | ENRICO | **J-HB-170E 420-490**

Stem | TOKEN | **28,6X31.8**

Grip | Shimano | **Tape PRO**

Saddle | Selle Italia | **XBB fec**

Seatpost | ENRICO | **30,9x350 mm**

Front and Rear Brake | Shimano

| **GRX BR-RX400, hydraulic**

Front and Rear Brakedisc

| Shimano | **SM-RT70, centerlock**

Shifters | Shimano | **GRX KRX400**

Gears | **11**

Focus 2.0 2x10

SPECIFICATION



Wheel size | **28"**

Frame | Storm | **FOCUS S, M, L, XL**

Fork | Storm | **CARBON**

Bottom Bracket | Shimano | **BB60**

Chainwheel | Shimano | **GRX FCR600**

Chain | Shimano | **HG54**

Cassette | Shimano | **CS-HG5010**

Rear Derailleur | Shimano | **GRX RDRX400**

Front Derailleur | Shimano | **GRX FDRX400**

Front Hub | SOLON | **DH-919TF**

Rear Hub | SOLON | **DH-E391TR**

Tires | CST | **PIKA 700x40C**

Handlebar | ENRICO | **J-HB-170E 420-490**

Stem | TOKEN | **28,6X31.8**

Grip | Shimano | **Tape PRO**

Saddle | Selle Italia | **XBB fec**

Seatpost | ENRICO | **30,9x350 mm**

Front and Rear Brake | Shimano

| **GRX BR-RX400, hydraulic**

Front and Rear Brakedisc

| Shimano | **SM-RT70, centerlock**

Shifters | Shimano | **GRX KRX400**

Gears | **20**



MTB

Raptor 3.0 | Raptor 2.0 | Raptor 1.0

Trail 5.0 | Trail 4.0 | Trail 3.0 | Trail 2.0 | Trail 1.0

Shark 8.0 29 | Shark 7.0 29 | Shark 5.0 27,5

Raptor 3.0

SPECIFICATION



Wheel size | **27.5", 29"**

Frame | Storm | **13", 15", 17", 19", 21"**

Fork | Suntour | **XCM DS. RLO 27.5 / XCM DS. RLO 29**

Chainwheel | Shimano | **FC-U6000**

Bottom Bracket | **BB-MT501**

Chain | SHIMANO | **LG500**

Cassette | Shimano | **CS-LG300 10-speed**

Front Derailleur | -

Rear Derailleur | Shimano | **Cues RD-U8000**

Rear Hub | Shimano | **FH-TC500**

Front Hub | Shimano | **HB-TC500**

Tires | **Maxxis**

Handlebar | UNO | **720 mm**

Grip | **Herrmans**

Saddle | **Storm**

Seatpost | UNO | **30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **Cues SL-U8000**

Gears | **10**

Raptor 2.0

SPECIFICATION



Wheel size | **27.5", 29"**

Frame | Storm | **13", 15", 17", 19", 21"**

Fork | Suntour | **XCM DS. RLO 27.5 / XCM DS. RLO 29**

Chainwheel | Shimano | **FC-U4000**

Bottom Bracket | **BB-MT501**

Chain | SHIMANO | **LG500**

Casette | Shimano | **Cues CS-LG300 9-speed**

Front Derailleur | -

Rear Derailleur | Shimano | **Cues RD-U6000**

Rear Hub | Shimano | **FH-TC500**

Front Hub | Shimano | **HB-TC500**

Tires | **Maxxis**

Handlebar | UNO | **720 mm**

Grip | **Herrmans**

Saddle | **Storm**

Seatpost | UNO | **30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **Cues SL-U4000**

Gears | **9**

Raptor 1.0

SPECIFICATION



Wheel size | **27.5", 29"**

Frame | Storm | **13", 15", 17", 19", 21"**

Fork | Suntour | **XCE DS. 27,5 / XCM DS. RLO 29**

Chainwheel | Shimano | **FC-U2000**

Bottom Bracket | Kenli | **KL-08A**

Chain | YBN | **S8**

Cassette | Shimano | **Alivio CS-HG400 8-speed**

Front Derailleur | -

Rear Derailleur | Shimano | **Claris RD U2000GS**

Rear Hub | Shimano | **FH-TX5058**

Front Hub | Shimano | **HB TX505**

Tires | **Maxxis**

Handlebar | UNO | **720 mm**

Grip | **Herrmans**

Saddle | **Storm**

Seatpost | UNO | **30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **Altus SL-M315**

Gears | **8**

Trail 5.0

SPECIFICATION



Wheel size | **29"**

Frame | Storm | **M - 17", 19", 21" | L - 16", 18"**

Fork | ROCK SHOX | **Recon RL 29 Disc T100 MM**

15X110 mm

Chainwheel | Shimano | **FC-M4100**

Bottom Bracket | Shimano | **ABBMT5015**

Chain | Shimano | **HG54**

Cassette | Shimano | **Deore CS-HG500 10-speed**

Front Derailleur | Shimano | **Deore FD-M6025**

Rear Derailleur | Shimano | **Deore RD-M6000**

Gears | **10**

Front Hub | **DH-919TF**

Rear Hub | Shimano | **FH-TX5058**

Tires | Maxxis | **Recon 29X2,25**

Handlebar | UNO | **720 mm**

Grip | **Herrmans**

Saddle | **Storm**

Seatpost | UNO | **30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **Deore SL-M6000**

Trail 4.0

SPECIFICATION



Wheel size | **29"**

Frame | Storm | **M - 17", 19", 21" | L - 16", 18"**

Fork | Suntur | **XCM-DSC RLO.29**

Chainwheel | Shimano | **AFCMT1012BC62XL**

Bottom Bracket | Kenli | **KL-08A**

Chain | **KMC Z9**

Casette | Shimano | **ACSHG2009134**

Front Derailleur | Shimano | **Altus AFDM2020TSM4**

Rear Derailleur | Shimano | **Alivio RD-M3100**

Gears | **9**

Front Hub | Shimano | **HB TX505**

Rear Hub | Shimano | **FH-TX5058**

Tires | Maxxis | **Icon**

Handlebar | UNO | **720 mm**

Grip | **Herrmans**

Saddle | **Storm**

Seatpost | PROMAX | **DA2012**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **Altus EF505**

Trail 3.0

SPECIFICATION



Wheel size | **27.5", 29"**

Frame | Storm | **M - 13", 15", 17", 19", 21"**

L - 13", 15", 16", 17", 18"

Fork | Suntur | **XCT DS.HLO 27.5 / 29**

Chainwheel | Shimano | **TY301 (42-34-24)**

Bottom Bracket | Kenli | **KL-08A**

Chain | YBN | **S8**

Cassette | Shimano | **Altus CS-HG31 8-speed**

Front Derailleur | Shimano | **Tourney FD-TY500**

Rear Derailleur | Shimano | **Alivio RD-M3100**

Gears | **8**

Front Hub | Shimano | **HB TX505**

Rear Hub | Shimano | **FH-TX5058**

Tires | **Maxxis**

Handlebar | UNO | **720 mm**

Grip | **Herrmans**

Saddle | **Storm**

Seatpost | UNO | **30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **Altus EF505**

Trail 2.0

SPECIFICATION



Wheel size | **27.5", 29"**

Frame | Storm | **M - 13", 15", 17", 19", 21"**

L - 13", 15", 16", 17", 18"

Fork | Suntur | **XCT DS.HLO 27.5 / 29**

Chainwheel | Shimano | **TY301 (42-34-24)**

Bottom Bracket | Kenli | **KL-08A**

Chain | YBN | **S8**

Casette | Shimano | **Altus CS-HG31 8-speed**

Front Derailleur | Shimano | **Tourney FD-TY500**

Rear Derailleur | Shimano | **Acera RD-M3020**

Gears | **8**

Front Hub | Shimano | **HB TX505**

Rear Hub | Shimano | **FH-TX5058**

Tires | **Maxxis**

Handlebar | UNO | **720 mm**

Grip | **Herrmans**

Saddle | **Storm**

Seatpost | UNO | **30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **Altus EF505**

Trail 1.0

SPECIFICATION



Wheel size | **27.5", 29"**

Frame | Storm | **M - 13", 15", 17", 19", 21"**

L - 13", 15", 16", 17", 18"

Fork | Suntur | **XCE DS. 27.5 / 29**

Chainwheel | Shimano | **TY301 (42-34-24)**

Bottom Bracket | Kenli | **KL-08A**

Chain | YBN | **S8**

Casette | Shimano | **Altus CS-HG31 8-speed**

Front Derailleur | Shimano | **Tourney FD-TY500**

Rear Derailleur | Shimano | **Altus RD-M310**

Gears | **8**

Front Hub | Shimano | **HB TX505**

Rear Hub | Shimano | **FH-TX5058**

Tires | **Maxxis**

Handlebar | UNO | **720 mm**

Grip | **Herrmans**

Saddle | **Storm**

Seatpost | UNO | **30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **Altus EF505**

Shark 8.0 29

SPECIFICATION



Shark 8.0 29 Man



Shark 8.0 29 Lady

Wheel size | **29"**

Frame | Storm | **L-16", 18" | M-17", 19", 21"**

Fork | SUNTOUR | **XCM - RLO 100mm**

Bottom Bracket | Shimano | **Deore SM-BB52**

Chainwheel | Shimano | **FC-M41002 (36X26T)**

Chain | Shimano | **CN-HG54**

Cassette | Shimano | **Deore CS-HG500 10s (11-34T)**

Rear Derailleur | Shimano | **Deore RD-T6000**

Front Derailleur | Shimano | **Deore FD-M6025**

Front Hub | Shimano | **HB TX505**

Rear Hub | Shimano | **FH TX5058**

Tires | Maxxis | **IKON 29X2,2**

Handlebar | Storm | **ALU 720 MM**

Grip | **Herrmans**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **Deore SL-M6000**

Gears | **20**

Shark 7.0 29

SPECIFICATION



Shark 7.0 29 Man



Shark 7.0 29 Lady

Wheel size | **29"**

Frame | Storm | **L-16", 18" | M-17", 19", 21"**

Fork | SUNTOUR | **XCM - RLO 100mm**

Bottom Bracket | Shimano | **FC-MT101 (36X22T)**

Chainwheel | Shimano | **FC-M41002 (36X26T)**

Chain | KMC | **Z9**

Cassette | Shimano | **Deore CS-HG500 10s (11-34T)**

Rear Derailleur | Shimano | **Deore RD-M592**

Front Derailleur | Shimano | **Altus FD-M2020**

Front Hub | Shimano | **HB TX505**

Rear Hub | Shimano | **FH TX5058**

Tires | Maxxis | **IKON 29X2,2**

Handlebar | Storm | **ALU 720 MM**

Grip | **Herrmans**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **ST-EF505**

Gears | **18**

Shark 5.0 27,5

SPECIFICATION



Shark 5.0 27,5 Man

Shark 5.0 27,5 Lady



Wheel size | **27,5"**

Frame | Storm | **L-15", 17" | M-15", 17", 19"**

Fork | SUNTOUR | **XCM - RLO 100mm**

Bottom Bracket | Shimano | **FC-MT101 (36X22T)**

Chainwheel | Shimano | **TY301 (42-34-24)**

Chain | KMC | **Z8**

Cassette | Shimano | **HG318 (11-34T)**

Rear Derailleur | Shimano | **Alivio RD-T4000**

Front Derailleur | Shimano | **Altus FD-M310**

Front Hub | Shimano | **HB TX505**

Rear Hub | Shimano | **FH TX5058**

Tires | Maxxis | **PACE 27,5X2,1**

Handlebar | Storm | **ALU 720 MM**

Grip | **Herrmans**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **ST-EF505**

Gears | **24**



E-MTB

E-Taurus 4.0 | E-Taurus 3.0 | E-Taurus 2.0 | E-Taurus 1.0
E-Stella 4.0 | E-Stella 3.0 | E-Stella 2.0 | E-Stella 1.0

E-Bike

E-Taurus 4.0 | E-Stella 4.0

SPECIFICATION

**E-Taurus 4.0****E-Stella 4.0**

Wheel size | **29"**

Frame | Storm | **E-Taurus 17", 19", 21"**

| **E-Stella 16", 18"**

Fork | Suntour | **XCM34-BOOST RLR DS. - with a lockout**

Chain | KMC | **E10S**

Cassette | Shimano | **Deore CS-HG500-10, 10s**

Rear Derailleur | Shimano | **Deore RD-M6000SGS-10S**

Front Derailleur | -

Motor | Bafang | **mid-drive motor, M510, 250W, 95Nm**

Display | Bafang | **DP C244.C**

Sensor | Bafang | **SR SD021.01**

Battery | Bafang | **20 Ah, 720 Wh, 36V**

Front Hub | Shimano | **DH-919TF**

Rear Hub | Shimano | **DH-E391TR**

Tires | **Maxxis/CST**

Handlebar | UNO | **HB 353, 780 mm**

Stem | **UNO**

Grip | **Herrmans**

Saddle | Selle Royal | **A230**

Seatpost | UNO | **SP-602, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc

| Shimano | **SM-RT10, centerlock**

Shifters | Shimano | **Deore SL-M6000-10, 10s**

Gears | **10**

E-Taurus 3.0 | E-Stella 3.0

SPECIFICATION

**E-Taurus 3.0****E-Stella 3.0**

Wheel size | **29"**

Frame | Storm | **E-Taurus 17", 19", 21"**

| **E-Stella 16", 18"**

Fork | Suntour | **XCM34-BOOST NLO DS - with a lockout**

Chain | KMC | **Z9**

Cassette | Shimano | **CS-HG200-9, 9s**

Rear Derailleur | Shimano | **Alivio RD-M3100SGS**

Front Derailleur | -

Motor | Bafang | **mid-drive motor, M410, 250W, 80Nm**

Display | Bafang | **DP C244.C**

Sensor | Bafang | **SR SD021.01**

Battery | Bafang | **20Ah, 720Wh, 36V**

Front Hub | Shimano | **DH-E391TR**

Rear Hub | Shimano | **DH-919TF**

Tires | **Maxxis/CST**

Handlebar | UNO | **HB 353, 780 mm**

Stem | UNO | **ASM02**

Grip | **Herrmans**

Saddle | Selle Royal | **A230**

Seatpost | UNO | **SP-602, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc

| Shimano | **SM-RT10, centerlock**

Shifters | Shimano | **Altus SL-M4000-9**

Gears | **9**

E-Taurus 2.0 | E-Stella 2.0

SPECIFICATION



E-Stella 2.0



E-Taurus 2.0

Wheel size | **29"**

Frame | Storm | **E-Taurus 17", 19", 21"**

| **E-Stella 16", 18"**

Fork | Suntour | **XCM34-BOOST DS. (15AH2-110 29")**

Bottom Bracket | Shimano | **Alivio, FC-M4000**

Chain | KMC | **Z9**

Cassette | Shimano | **CS-HG200-9**

Rear Derailleur | Shimano | **Alivio RD-M3100SGS**

Front Derailleur | -

Motor | Bafang | **rear hub motor, RM G020, 250W, 45Nm**

Display | Bafang | **DP E160.C**

Sensor | Bafang | **SR PAO51.12.S**

Battery | Bafang | **14 Ah, 504 Wh, 36V**

Piast przednia | Shimano | **DH-919TF**

Tires | **Maxxis/CST**

Handlebar | UNO | **HB 353, 780 mm**

Stem | UNO | **ASM02**

Grip | **Herrmans**

Saddle | Selle Royal | **A059**

Seatpost | UNO | **SP-602, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc |

Shimano | **SM-RT10 | SM-RT26**

Shifters | Shimano | **ST-EF 505**

Gears | **9**

E-Taurus 1.0 | E-Stella 1.0

SPECIFICATION



E-Taurus 1.0



E-Stella 1.0

Wheel size | **29"**

Frame | Storm | **E-Taurus 17", 19", 21"**

| **E-Stella 16", 18"**

Fork | Suntour | **XCM34-BOOST DS. (15AH2-110 29")**

Bottom Bracket | Shimano | **Tourney, FC-TY301, 3-S**

Chain | KMC | **Z8**

Cassette | Shimano | **CS-HG31-8**

Rear Derailleur | Shimano | **Altus FD-M310**

Front Derailleur | -

Motor | Bafang | **rear hub motor, RM G020, 250W, 45Nm**

Display | **Bafang | DP E160.C**

Sensor | Bafang | **SR PA051.12.S**

Battery | Bafang | **14 Ah, 504 Wh, 36V**

Piast przednia | Shimano | **DH-919TF**

Tires | **Maxxis/CST**

Handlebar | UNO | **HB 353, 780 mm**

Stem | UNO | **ASM02**

Grip | **Herrmans**

Saddle | Selle Royal | **A059**

Seatpost | UNO | **SP-602, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc |

Shimano | **SM-RT10 | SM-RT26**

Shifters | Shimano | **ST-EF 505**

Gears | **9**



E-Trekking

E-Diamond 7.0 | E-Diamond Lady Deep 6.0
E-Diamond 5.0 | E-Diamond 4.0 | E-Diamond 3.0
E-Diamond 2.0 | E-Diamond 1.0

E-Bike

E-Diamond 7.0

SPECIFICATION



E - Diamond 7.0 Lady



E-Diamond 7.0 Lady Deep



E-Diamond 7.0 Man

Wheel size | **28"**

Frame | Storm | **Lady 17", 19"**

| **Lady Deep 17", 19", 21" | Man 19", 21", 23"**

Fork | Suntour | **XCM34-BOOST RLR DS. - with a lockout**

Chain | KMC | **E10S**

Casette | Shimano | **Deore CS-HG500-10**

Rear Derailleur | Shimano | **Deore RD-M6000SGS-10S**

Front Derailleur | -

Motor | Bafang | **mid-drive motor, M510, 250W, 95Nm**

Display | Bafang | **DP C244.C**

Sensor | Bafang | **SR SD021.01**

Battery | Bafang | **20 Ah, 720 Wh, 36V**

Front Hub | Shimano | **DH-E391TR**

Rear Hub | Shimano | **DH-919TF**

Tires | CST | **PLATINIUM E, 28x2,15**

Handlebar | UNO | **HB 4110V, 660 mm**

Stem | UNO | **AS7300**

Grip | **Herrmans**

Saddle | Selle Royal | **A230**

Seatpost | UNO | **SP-602, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc

| Shimano | **SM-RT10, central lock**

Shifters | Shimano | **Deore SL-M6000-10**

Bell | **YES**

Kikstand | **YES**

Gears | **10**

E-Diamond Lady Deep 6.0

SPECIFICATION



Wheel size | **28"**

Frame | Storm | **Lady Deep 17", 19", 21"**

Handlebar | UNO | **HB RB11, 680 mm**

Fork | **NEX-E25 DS. 700C**

Chain | KMC | **ZIEHX**

Motor | Bafang | **mid-drive motor, M200, 250W, 65Nm**

Display | Bafang | **DP C010.C**

Sensor | Bafang | **SR SD021.01**

Battery | Bafang | **14 Ah, 504 Wh, 36 V**

Front Hub | Shimano | **Nexus 7**

Rear Hub | Shimano | **TX-505**

Tires | CST | **PLATINIUM E, 28x2,15**

Stem | UNO | **AS7300**

Grip | **Herrmans**

Saddle | Selle Royal | **A230**

Seatpost | UNO | **SP-602, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc

| Shimano | **SM-RT10, centerlock**

Shifters | Shimano | **Nexus 7**

Bell | **YES**

Kikstand | **YES**

Gears | **7**

E-Diamond 5.0

SPECIFICATION



E - Diamond 5.0 Lady



E-Diamond 5.0 Lady Deep



E-Diamond 5.0 Man

Wheel size | **28"**

Frame | Storm | **Lady 17", 19"**

| **Lady Deep 17", 19", 21" | Man 19", 21", 23"**

Fork | Suntour | **NEX-E25-C DS.**

Chain | KMC | **E10S**

Casette | Shimano | **Deore CS-HG500-10**

Rear Derailleur | Shimano | **Deore RD-M6000SGS-10S**

Front Derailleur | -

Motor | Bafang | **mid-drive motor, M410, 250W, 80Nm**

Display | Bafang | **DP C270C**

Sensor | Bafang | **SR SD021.01**

Battery | Bafang | **20 Ah, 720 Wh, 36V**

Front Hub | Shimano | **DH-E391TR**

Rear Hub | Shimano | **DH-919TF**

Tires | CST | **PLATINIUM E, 28x2,15**

Handlebar | UNO | **HB RB11, 680 mm**

Stem | UNO | **AS7300**

Grip | **Herrmans**

Saddle | Selle Royal | **A230**

Seatpost | UNO | **SP-500, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc

| Shimano | **SM-RT10, central lock**

Shifters | Shimano | **Deore SL-M6000-10**

Bell | **YES**

Kickstand | **YES**

Gears | **10**

E-Diamond 4.0

SPECIFICATION



E - Diamond 4.0 Lady



E-Diamond 4.0 Lady Deep



E-Diamond 4.0 Man

Wheel size | **28"**

Frame | Storm | **Lady 17", 19"**

| **Lady Deep 17", 19", 21" | Man 19", 21", 23"**

Fork | Suntour | **NEX-E25-C DS.**

Chain | KMC | **E8S**

Cassette | Shimano | **HG-31-8**

Rear Derailleur | Shimano | **Acera RD-M360SGS-8S**

Front Derailleur | -

Motor | Bafang | **mid-drive motor, M200, 250W, 65Nm**

Display | Bafang | **DP E160.C**

Sensor | Bafang | **SR SD021.01**

Battery | Bafang | **14 Ah, 504 Wh, 36V**

Front Hub | Shimano | **TX-505**

Rear Hub | Shimano | **TX-505**

Tires | CST | **PLATINIUM E, 28x2,15**

Handlebar | UNO | **HB RB11, 680 mm**

Stem | UNO | **AS7300**

Grip | **Herrmans**

Saddle | Selle Royal | **A063**

Seatpost | UNO | **SP-500, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc

| Shimano | **SM-RT10, central lock**

Shifters | Shimano | **Altus SL-M315-8**

Bell | **YES**

Kickstand | **YES**

Gears | **8**

E-Diamond 3.0

SPECIFICATION



E-Diamond 3.0 Lady Deep

E-Diamond 3.0 Man



Wheel size | **28"**

Frame | Storm | **Lady Deep 17", 19", 21"**

| **Man 19", 21", 23"**

Fork | Suntour | **NEX-E25-C DS.**

Chain | KMC | **E10S**

Cassette | Shimano | **Deore HG-500-10**

Rear Derailleur | Shimano | **Deore RD-M6000, 10V**

Front Derailleur | -

Motor | Bafang | **rear hub motor, RMG020, 250W, 45Nm**

Display | Bafang | **DP C010.C**

Sensor | Bafang | **SR PA152.32.S**

Battery | Bafang | **14 Ah, 504 Wh, 36V**

Bottom Bracket | Prowheel | **PRA-11P (92), 38 T, 1-S**

Front Hub | Shimano | **TX-505**

Tires | CST | **PLATINIUM E, 28x2,00**

Handlebar | UNO | **HB-RB11, 680 mm**

Stem | UNO | **AS7300**

Grip | **Herrmans**

Saddle | Selle Royal | **A082**

Seatpost | UNO | **SP-500, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc |

Shimano | **SM-RT10 | SM-RT26**

Shifters | Shimano | **Deore, SL-M6000-10**

Bell | **YES**

Kickstand | **YES**

Gears | **10**

E-Diamond 2.0

SPECIFICATION



E-Diamond 2.0 Man

Wheel size | **28"**

Frame | Storm | **Lady Deep 17", 19", 21"**

| **Man 19", 21", 23"**

Bottom Bracket | Prowheel | **PRA-11P (92), 38 T, 1-s**

Fork | Suntour | **NEX-E25-C DS.**

Chain | KMC | **Z8**

Casette | Shimano | **HG-31-8**

Rear Derailleur | Shimano | **Acera, RD-M360SGS, 8V**

Front Derailleur | -

Motor | Bafang | **rear hub motor, RMG020, 250W, 45Nm**

Display | Bafang | **DP C270.C**

Sensor | Bafang | **SR PAO51.12.S**

Battery | Bafang | **14 Ah, 504 Wh, 36V**

Front Hub | **Shimano**

E-Diamond 2.0 Lady Deep



Tires | CST | **PLATINIUM E, 28x2,00**

Handlebar | UNO | **HB-4110V, 660 mm**

Stem | UNO | **AS7300**

Grip | **Herrmans**

Saddle | Selle Royal | **A092**

Seatpost | UNO | **SP-500, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc |

Shimano | **SM-RT10 | SM-RT26**

Shifters | Shimano | **Altus, SL-M315-8**

Bell | **YES**

Kikstand | **YES**

Gears | **8**

E-Diamond 1.0

SPECIFICATION



E-Diamond 1.0 Man

E-Diamond 1.0 Lady Deep



Wheel size | **28"**

Frame | Storm | **Lady Deep 17", 19", 21"**

| **Man 19", 21", 23"**

Bottom Bracket | Prowheel | **PRA-11P (92), 38 T, 1-S**

Fork | Suntour | **NEX-E25-C DS.**

Chain | KMC | **Z8**

Cassette | Shimano | **HG-31-8**

Rear Derailleur | Shimano | **Altus, RD-M310-8, 8V**

Front Derailleur | -

Motor | Bafang | **rear hub motor, RMG020, 250W, 45Nm**

Display | Bafang | **DP E160.C**

Sensor | Bafang | **SR PA051.12.S**

Battery | Bafang | **14 Ah, 504 Wh, 36V**

Front Hub | **Shimano**

Tires | CST | **PLATINIUM E, 28x2,00**

Handlebar | UNO | **HB-4110V, 660 mm**

Stem | UNO | **AS7300**

Grip | **Herrmans**

Saddle | Selle Royal | **A092**

Seatpost | UNO | **SP-500, 30,9 mm**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Front and Rear Brakedisc |

Shimano | **SM-RT10 | SM-RT26**

Shifters | Shimano | **Altus, SL-M315-8**

Bell | **YES**

Kikstand | **YES**

Gears | **8**



Kids

Lassie 20 | Rocket 20 | Lassie 16 | Rocket 16

Lassie 12 | Rocket 12

Lassie 20 | Rocket 20

SPECIFICATION



Rocket 20



Lassie 20

Wheel size | **20"**

Frame | Steel | **10"**

Fork | **RIGID STEEL**

Front Brake | **V-BRAKE**

Rear Brake | **TORPEDO**

Gears | **1**

Lassie 16 | Rocket 16

SPECIFICATION



Rocket 16



Lassie 16

Wheel size | **16"**

Frame | Steel | **8.5"**

Fork | **RIGID STEEL**

Front Brake | **V-BRAKE**

Rear Brake | **TORPEDO**

Gears | **1**

Lassie 12 | Rocket 12

SPECIFICATION



Rocket 12

Lassie 12



Wheel size | **12"**

Frame | **Steel | 7"**

Fork | **RIGID STEEL**

Front Brake | **V-BRAKE**

Rear Brake | **TORPEDO**

Gears | **1**

Junior

Racer 26 2D | Queen 26 2D | Racer 24 2D | Queen 24 2D
Belle 20 | Rapid 20 | Princess 26 LUX | Daisy 24 3S LUX

Racer 26 2D | Queen 26 2D

SPECIFICATION



Racer 26 2D

Queen 26 2D



Wheel size | **26"**

Frame | Storm | **13.5", 15", 17"**

Fork | ZOOM | **CH-386A**

Rear Derailleur | Shimano | **TOURNEY RD TY300D**

Front Derailleur | Shimano | **TOURNEY FD-TY510-TS6**

Brakes | Alhonga | **MD ALHONGA**

Gears | **21**

Racer 24 2D | Queen 24 2D

SPECIFICATION



Racer 24 2D

Queen 24 2D



Wheel size | **24"**

Frame | Storm | **13"**

Fork | ZOOM | **CH-386A**

Rear Derailleur | Shimano | **TOURNEY RD TY300D**

Front Derailleur | Shimano | **TOURNEY FD-TY510-TS6**

Brakes | Alhonga | **MD ALHONGA**

Gears | **21**

Belle 20 | Rapid 20

SPECIFICATION



Belle 20

Rapid 20



Wheel size | **20"**

Frame | Steel | **10.5"**

Fork | **SUSPENSION MODE**

Rear Derailleur | Shimano | **RD-TY21**

Brakes | Alhonga | **V-BRAKE**

Gears | **6**

Princess 26 LUX

SPECIFICATION



Wheel size | **26"**

Frame | HYDROFORMED ALUMINUM | **15"**

Fork | **RIGID STEEL**

Rear Derailleur | Shimano | **TOURNEY RD TY 300B**

Brakes | Alhonga | **V-BRAKE**

Gears | **6**

Daisy 24 3S LUX

SPECIFICATION



Wheel size | **24"**

Frame | **HYDROFORMED ALUMINUM | 14"**

Fork | **RIGID STEEL**

Front Brake | **ALHONGA | V-BRAKE**

Rear Brake | **TORPEDO**

Gears | **6**



Trekking

Marathon 10.0 | Marathon 3.0 7S

Marathon 10.0

SPECIFICATION



Marathon 10.0 Man

Marathon 10.0 Lady



Wheel size | **28"**

Frame | Storm | **L-17", 19" | M-19", 21"**

Fork | SUNTOUR | **NEX-DSC RLO 63 mm**

Chainwheel | Shimano | **FC-T6010 (48-36-26)**

Chain | Shimano | **HG-54**

Casette | Shimano | **Deore CS-HG500 10S**

Rear Derailleur | Shimano | **Deore FD-T6000**

Front Derailleur | Shimano | **Deore RD-T6000**

Front Hub | Shimano | **DH3D37**

Rear Hub | Shimano | **FH-M6000**

Tires | CST | **OTIS 700X40C**

Handlebar | Storm | **ALU 640 MM**

Grip | **Herrmans**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **SL-T6000**

Gears | **30**

Marathon 3.0 7s

SPECIFICATION



Marathon 3.0 7s Man

Marathon 3.0 7s Lady



Wheel size | **28"**

Frame | Storm | **L-17", 19" | M-19", 21"**

Fork | ZOOM | **CH-120E**

Chainwheel | Shimano | **ALU**

Chain | KMC | **Z8**

Casette | Shimano | -

Rear Derailleur | Shimano | -

Front Derailleur | Shimano | -

Front Hub | Shimano | **NEXUS DH-C3000**

Rear Hub | Shimano | **NEXUS 7-SPEED**

Tires | CST | **OTIS 700X40C**

Handlebar | Storm | **ALU 620 MM**

Grip | **Herrmans**

Front Brake | TEKTRO | **V-BRAKE**

Rear Brake | Shimano | **TORPEDO**

Shifters | Shimano | **ST-EF505**

Gears | **7**



Cross

Cross Aero 5.0

Cross Aero 5.0

SPECIFICATION



Cross Aero 5.0 Man

Cross Aero 5.0 Lady



Wheel size | **28"**

Frame | Storm | **L-17", 19" | M-19", 21"**

Fork | SUNTOUR | **NVX - RLO 63 MM**

Chainwheel | Shimano | **TY301 (48x38x28)**

Chain | KMC | **Z8**

Casette | Shimano | **CS-HG31 8S (11-30)**

Rear Derailleur | Shimano | **Alivio RD-T4000**

Front Derailleur | Shimano | **Altus FD-M310**

Front Hub | Shimano | **HB TX505**

Rear Hub | Shimano | **FH-TX5058**

Tires | CST | **CONTROL PLUS**

ECO 700X40C

Handlebar | Storm | **ALU 680 MM**

Grip | **Herrmans**

Front and Rear Brake | Shimano

| **MT-200, hydraulic**

Shifters | Shimano | **ST-EF505**

Gears | **24**

City Line

Paris 7S AMT Dynamo | Barcelona 3s | Amsterdam 3s |
Stockholm 3s | Dublin 3s ATM

Paris 7S AMT Dynamo

SPECIFICATION



Wheel size | **28"**

Frame | Storm | **17"**

Front Hub | **ALUMINUM SF-A201**

Rear Hub | SHIMANO | **NEXUS 7-SPEED**

Front Brake | ALHONGA | **V-BRAKE**

Rear Brake | **TORPEDO**

Chain | KMC | **C-410**

Crank | **ALUMINUM 38T/170mm**

Pedals | **PF-830A**

Bottom Bracket | **CARTRIDGE BEARINGS**

Fork | **SUSPENSION ZOOM**

Handlebar | STORM | **ALUMINUM 600 MM**

GRIPS | **STORM**

Carrier | **TUBULAR**

Fenders | **PLASTIC**

Kickstand | **ALUMINUM, ADJUSTABLE**

Chain Cover | **STORM**

Lightning | **SMART BATTERY 20 LUX**

Seatpost | UNO | **SUSPENSION 27.2**

Gears | **7**

Barcelona 3s

SPECIFICATION



Wheel size | **28"**

Frame | Storm | **STEEL | 17", 19"**

Front Hub | **STEEL**

Rear Hub | SHIMANO | **NEXUS 7-SPEED**

Front Brake | **V-BRAKE**

Rear Brake | **TORPEDO**

Chain | KMC | **C-410**

Crank | **38T/170mm**

Pedals | **PF-830A**

Bottom Bracket | **CARTRIDGE BEARINGS**

Fork | **RIGID STEEL**

Handlebar | STORM | **ALUMINUM 600 MM**

Grips | **STORM**

Carrier | **TUBULAR**

Fenders | **PLASTIC**

Kickstand | **ALUMINUM, ADJUSTABLE**

Chain Cover | **STORM**

Lightning | STORM | **BATTERY**

Seatpost | **STEEL 31.8**

Gears | **3**

Amsterdam 3S

SPECIFICATION



Wheel size | **28"**

Frame | Steel | **17"**

Front Hub | **STEEL**

Rear Hub | SHIMANO | **NEXUS 3 SG-3C41**

Front Brake | **V-BRAKE**

Rear Brake | **TORPEDO**

Chain | KMC | **C-410**

Crank | **38T/170mm**

Pedals | **PF-830A**

Bottom Bracket | **CARTRIDGE BEARINGS**

Fork | **STEEL**

Handlebar | STORM | **STEEL 600 MM**

GRIPS | **STORM**

Carrier | **TUBULAR**

Fenders | **PLASTIC**

Kickstand | **CENTRAL**

Chain Cover | **STORM**

Lightning | **BATTERY**

Seatpost | **STEEL 31.8**

Gears | **3**

Stockholm 3s

SPECIFICATION



Wheel size | **26"**

Frame | Steel | **15", 17"**

Front Hub | **STEEL**

Rear Hub | SHIMANO | **NEXUS 3 SG-3C41**

Front Brake | **V-BRAKE**

Rear Brake | **TORPEDO**

Chain | KMC | **C-410**

Crank | **38T/170mm**

Pedals | **PF-830A**

Bottom Bracket | **CARTRIDGE BEARINGS**

Fork | **RIGID STEEL**

Handlebar | STORM | **STEEL 600 MM**

GRIPS | **STORM**

Carrier | **TUBULAR**

Fenders | **PLASTIC**

Kickstand | **ALUMINUM, ADJUSTABLE**

Chain Cover | **STORM**

Lightning | **BATTERY**

Seatpost | **ALUMINUM**

Gears | **3**

Dublin 3s AMT

SPECIFICATION



Wheel size | **26"**

Frame | Steel | **15", 17"**

Front Hub | **ALUMINUM SF-A201**

Rear Hub | SHIMANO | **NEXUS 3 SG-3C41**

Front Brake | ALHONGA | **V-BRAKE**

Rear Brake | **TORPEDO**

Chain | KMC | **C-410**

Crank | **ALUMINUM 38T/170mm**

Pedals | **PF-830A**

Bottom Bracket | **CARTRIDGE BEARINGS**

Fork | **SUSPENSION ZOOM**

Handlebar | STORM | **ALUMINUM 600 MM**

GRIPS | **STORM**

Carrier | **TUBULAR**

Fenders | **PLASTIC**

Kickstand | **ALUMINUM, ADJUSTABLE**

Chain Cover | **STORM**

Lightning | **SMART BATTERY**

Seatpost | **ALUMINUM 27.2**

Gears | **3**



Start your own journey with STORM bikes

STORM

HEADQUARTERS ADDRESS

Muchy 56
63-524 Czajków
biuro@stormrowery.pl

CONTACT

export@stormrowery.pl



[SM STORM BIKES](#)



[SM STORM BIKES](#)



[sm_stormbikes](#)

www.smstormbikes.com

The product images shown are for illustration purposes only.